


# SENTETİK TORBA FİLTRE / SYNTHETIC BAG FILTER

## Uygulamalar

- İnce parçacıkların yakalanması
- HVAC ikinci veya son aşama filtresi
- HEPA filtreleri için ön filtre

## Özellikler

- Orta destek, filtre cepleri arasında geçiş yapılmasını önler
- Herhangi bir özel boyut



## Applications

- Capturing fine particles
- Second or final stage filter in HVAC Pre-filter
- For HEPA filters

## Highlights

- Middle support prevents bypass between filter pockets
- Any special dimensions

Filter Standard:

ISO 16890

Filter Class:

ISO ePM1 - ISO ePM2,5 - ISO ePM10

Media:

Synthetic Fiber

Frame:

Galvanized

Rec. Final Pressure Drop EN13053:

Initial  $\Delta P$  +100 Pa or initial  $\Delta P$  x3 whichever is lower

Max. Operating Temperature:

80° C

Frame depth:

20 - 25 mm

Filter Class		Dimensions WxHxD (mm)	Pocket Number	Filtration Area (m <sup>2</sup> )
EN 779 (cancelled)	ISO16890			
M5	Coarse 85%	287x592x360	3	1,5
M5	Coarse 85%	287x592x360	4	2
M5	Coarse 85%	490x592x360	5	2,5
M5	Coarse 85%	592x592x360	6	3
M5	Coarse 85%	592x592x360	8	4
M5	Coarse 85%	287x592x500	3	2
M5	Coarse 85%	287x592x500	4	2,7
M5	Coarse 85%	490x592x500	5	3,4
M5	Coarse 85%	592x592x500	6	4
M5	Coarse 85%	592x592x500	8	5,5
M5	Coarse 85%	287x592x600	3	2,4
M5	Coarse 85%	287x592x600	4	3,2
M5	Coarse 85%	490x592x600	5	4
M5	Coarse 85%	592x592x600	6	4,8
M5	Coarse 85%	592x592x600	8	6,4
M6	ePM10 70%	287x592x360	3	1,5
M6	ePM10 70%	287x592x360	4	2
M6	ePM10 70%	490x592x360	5	2,5
M6	ePM10 70%	592x592x360	6	3
M6	ePM10 70%	592x592x360	8	4
M6	ePM10 70%	287x592x500	3	2
M6	ePM10 70%	287x592x500	4	2,7
M6	ePM10 70%	490x592x500	5	3,4
M6	ePM10 70%	592x592x500	6	4
M6	ePM10 70%	592x592x500	8	5,5
M6	ePM10 70%	287x592x600	3	2,4
M6	ePM10 70%	287x592x600	4	3,2
M6	ePM10 70%	490x592x600	5	4
M6	ePM10 70%	592x592x600	6	4,8
M6	ePM10 70%	592x592x600	8	6,4

Filter Class EN 779 (cancelled) ISO16890		Dimensions WxHxD (mm)	Pocket Number	Filtration Area (m <sup>2</sup> )
F7	ePM2,5 60%	287x592x360	4	2
F7	ePM2,5 60%	490x592x360	6	3
F7	ePM2,5 60%	592x592x360	8	4
F7	ePM2,5 60%	287x592x500	4	2,7
F7	ePM2,5 60%	490x592x500	6	4
F7	ePM2,5 60%	592x592x500	8	5,5
F7	ePM2,5 60%	287x592x600	4	3,2
F7	ePM2,5 60%	490x592x600	6	4,8
F7	ePM2,5 60%	592x592x600	8	6,4
F8	ePM2,5 75%	287x592x360	4	2
F8	ePM2,5 75%	490x592x360	6	3
F8	ePM2,5 75%	592x592x360	8	4
F8	ePM2,5 75%	287x592x500	4	2,7
F8	ePM2,5 75%	490x592x500	6	4
F8	ePM2,5 75%	592x592x500	8	5,5
F8	ePM2,5 75%	287x592x600	4	3,2
F8	ePM2,5 75%	490x592x600	6	4,8
F8	ePM2,5 75%	592x592x600	8	6,4
F9	ePM2,5 85%	287x592x360	4	2
F9	ePM2,5 85%	490x592x360	6	3
F9	ePM2,5 85%	592x592x360	8	4
F9	ePM2,5 85%	287x592x500	4	2,7
F9	ePM2,5 85%	490x592x500	6	4
F9	ePM2,5 85%	592x592x500	8	5,5
F9	ePM2,5 85%	287x592x600	4	3,2
F9	ePM2,5 85%	490x592x600	6	4,8
F9	ePM2,5 85%	592x592x600	8	6,4